

AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): An ink for inkjet comprising an aqueous medium, at least one of dyes represented by the following formulae (1) to (4) dissolved or dispersed in the aqueous medium, and at least one of alkylene diols where one alkylene group has at least 3 carbon atoms or their homologues dissolved or dispersed in the aqueous medium:




wherein A_{11} and B_{11} each independently represent an optionally-substituted heterocyclic group; n is an integer selected from 1 and 2; L represents a substituent bonding to A_{11} or B_{11} at any desired position; when n is 1, L represents a hydrogen atom or a monovalent substituent; and when n is 2, L represents a single bond or a divalent linking group;



wherein X_{21} , X_{22} , X_{23} , and X_{24} each independently represent $-\text{SO}-Z_2$, $-\text{SO}_2-Z_2$, $\text{SO}_2\text{NR}_{21}\text{R}_{22}$, a sulfo group, $-\text{CONR}_{21}\text{R}_{22}$, or $-\text{CO}_2\text{R}_{21}$; Z_2 independently represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represent a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

Y_{21} , Y_{22} , Y_{23} , and Y_{24} each independently represent a monovalent substituent;

a_{21} to a_{24} , and b_{21} to b_{24} indicate the number of the substituents of X_{21} to X_{24} and Y_{21} to Y_{24} , respectively; a_{21} to a_{24} each independently represent a number of from 0 to 4, but all of these are not 0 at the same time; b_{21} to b_{24} each independently represent a number of from 0 to 4; and when a_{21} to a_{24} , and b_{21} to b_{24} are a number of 2 or more, then plural X_{21} 's to X_{24} 's and Y_{21} 's to Y_{24} 's may be the same or different; M represents a hydrogen atom, a metal atom or its oxide, hydroxide or halide;



wherein A_{31} represents a 5-membered hetero ring; B_{31} and B_{32} each represent $=CR_{31}-$ or $-CR_{32}=$, or either one of them is a nitrogen atom and the other is $=CR_{31}-$ or $-CR_{32}=$; R_{35} and R_{36} each independently represent a hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, an acyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, a carbamoyl group, an alkyl or arylsulfonyl group, or a sulfamoyl group, and each group may be substituted; G_3 , R_{31} and R_{32} each independently represent a hydrogen atom, a halogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a carboxyl group, a carbamoyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, a heterocyclic-oxycarbonyl group, an acyl group, a hydroxyl group, an alkoxy group, an aryloxy group, a heterocyclic-oxy group, a silyloxy group, an acyloxy group, a carbamoyloxy group, an alkoxycarbonyloxy group, an aryloxycarbonyloxy group, an amino group, an acylamino group,

an ureido group, a sulfamoylamino group, an alkoxycarbonylamino group, an aryloxycarbonylamino group, an alkyl or arylsulfonylamino group, a heterocyclic sulfonylamino group, a nitro group, an alkyl or arylthio group, an alkyl or arylsulfonyl group, a heterocyclic sulfonyl group, an alkyl or arylsulfinyl group, a heterocyclic sulfinyl group, a sulfamoyl group, a sulfo group, or a heterocyclic-thio group, and each group may be substituted; R₃₁ and R₃₅, or R₃₅ and R₃₆ may bond to each other to form a 5- or 6-membered ring;




wherein A₄₁, A₄₂ and A₄₃ each independently represent an optionally-substituted aromatic or heterocyclic group; A₄₁ and A₄₃ are monovalent group, and A₄₂ is a divalent group.

2. (original): An ink set for inkjet comprising at least one ink of claim 1.

3. (currently amended): An ink for inkjet comprising an aqueous medium, at least one of dyes represented by the following formulae (1) to (4) dissolved or dispersed in the aqueous medium, and at least one polymer compound dissolved or dispersed in the aqueous medium:



wherein A₁₁ and B₁₁ each independently represent an optionally-substituted heterocyclic group; n is an integer selected from 1 and 2; L represents a substituent bonding to A₁₁ or B₁₁ at any desired position; when n is 1, L represents a hydrogen atom or a monovalent substituent; and when n is 2, L represents a single bond or a divalent linking group;




wherein X_{21} , X_{22} , X_{23} , and X_{24} each independently represent $-\text{SO}-Z_2$, $-\text{SO}_2-Z_2$, $\text{SO}_2\text{NR}_{21}\text{R}_{22}$, a sulfo group, $-\text{CONR}_{21}\text{R}_{22}$, or $-\text{CO}_2\text{R}_{21}$; Z_2 independently represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represent a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

Y_{21} , Y_{22} , Y_{23} , and Y_{24} each independently represent a monovalent substituent;

a_{21} to a_{24} , and b_{21} to b_{24} indicate the number of the substituents of X_{21} to X_{24} and Y_{21} to Y_{24} , respectively; a_{21} to a_{24} each independently represent a number of from 0 to 4, but all of

these are not 0 at the same time; b_{21} to b_{24} each independently represent a number of from 0 to 4;
and when a_{21} to a_{24} , and b_{21} to b_{24} are a number of 2 or more, then plural X_{21} 's to X_{24} 's
and Y_{21} 's to Y_{24} 's may be the same or different;
M represents a hydrogen atom, a metal atom or its oxide, hydroxide or halide;



wherein A_{31} represents a 5-membered hetero ring; B_{31} and B_{32} each represent $=CR_{31}-$ or $-CR_{32}=$,
or either one of them is a nitrogen atom and the other is $=CR_{31}-$ or $-CR_{32}=$; R_{35} and R_{36} each
independently represent a hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic
group, an acyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, a carbamoyl group,
an alkyl or arylsulfonyl group, or a sulfamoyl group, and each group may be substituted; G_3 , R_{31}
and R_{32} each independently represent a hydrogen atom, a halogen atom, an aliphatic group, an
aromatic group, a heterocyclic group, a cyano group, a carboxyl group, a carbamoyl group, an
alkoxycarbonyl group, an aryloxycarbonyl group, a heterocyclic-oxycarbonyl group, an acyl
group, a hydroxyl group, an alkoxy group, an aryloxy group, a
heterocyclic-oxy group, a silyloxy group, an acyloxy group, a carbamoyloxy group, an
alkoxycarbonyloxy group, an aryloxycarbonyloxy group, an amino group, an acylamino group,
an ureido group, a sulfamoylamino group, an alkoxycarbonylamino group, an
aryloxycarbonylamino group, an alkyl or arylsulfonylamino group, a heterocyclic

sulfonylamino group, a nitro group, an alkyl or arylthio group, an alkyl or arylsulfonyl group, a heterocyclic sulfonyl group, an alkyl or arylsulfinyl group, a heterocyclic sulfinyl group, a sulfamoyl group, a sulfo group, or a heterocyclic-thio group, and each group may be substituted; R₃₁ and R₃₅, or R₃₅ and R₃₆ may bond to each other to form a 5- or 6-membered ring;



wherein A₄₁, A₄₂ and A₄₃ each independently represent an optionally-substituted aromatic or heterocyclic group; A₄₁ and A₄₃ are monovalent group, and A₄₂ is a divalent group.

4. (original): The ink for inkjet as claimed in claim 3, wherein the at least one polymer compound is a latex dispersion.

5. (original): The ink for inkjet as claimed in claim 3, wherein the at least one polymer compound is a water-soluble polymer.

6. (original): The ink for inkjet as claimed in claim 3, wherein the at least one polymer compound has a cationic group.

7. (original): An ink set for inkjet comprising at least one ink of any of claims 3 to 6.


8. (currently amended): An ink set for inkjet comprising at least a first ink and a second ink, wherein

the first ink contains an aqueous medium and at least one of dyes represented by the following formulae (1) to (4) dissolved or dispersed in the aqueous medium, and

the second ink contains at least one compound capable of interacting with the at least one of dyes represented by the following formulae (1) to (4) dissolved or dispersed in the aqueous medium, provides that the at least one compound capable of interacting with the at least one of dyes represented by formulae (1) to (4) is selected from the group consisting of a polycationic compound having cationic groups of amines, a polycationic compound having cationic groups of guanidines, a polycationic compound having cationic groups of amidines, a polycationic compound having cationic groups of pyridine hetero groups, a polymer having an amino group in a backbone chain or side chain, a polymer having a guanidino group in a backbone chain or side chain, and a polymer having an amidino group in a backbone chain or side chain:



wherein A_{11} and B_{11} each independently represent an optionally-substituted heterocyclic group; n is an integer selected from 1 and 2; L represents a substituent bonding to A_{11} or B_{11} at any desired position; when n is 1, L represents a hydrogen atom or a monovalent substituent; and when n is 2, L represents a single bond or a divalent linking group;




wherein X_{21} , X_{22} , X_{23} , and X_{24} each independently represent $-\text{SO}-Z_2$, $-\text{SO}_2-Z_2$, $\text{SO}_2\text{NR}_{21}\text{R}_{22}$, a sulfo group, $-\text{CONR}_{21}\text{R}_{22}$, or $-\text{CO}_2\text{R}_{21}$; Z_2 independently represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represent a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

Y_{21} , Y_{22} , Y_{23} , and Y_{24} each independently represent a monovalent substituent;

a_{21} to a_{24} , and b_{21} to b_{24} indicate the number of the substituents of X_{21} to X_{24} and Y_{21} to Y_{24} , respectively; a_{21} to a_{24} each independently represent a number of from 0 to 4, but all of

these are not 0 at the same time; b_{21} to b_{24} each independently represent a number of from 0 to 4;
and when a_{21} to a_{24} , and b_{21} to b_{24} are a number of 2 or more, then plural X_{21} 's to X_{24} 's
and Y_{21} 's to Y_{24} 's may be the same or different;
M represents a hydrogen atom, a metal atom or its oxide, hydroxide or halide;



wherein A_{31} represents a 5-membered hetero ring; B_{31} and B_{32} each represent $=CR_{31}-$ or $-CR_{32}=$,
or either one of them is a nitrogen atom and the other is $=CR_{31}-$ or $-CR_{32}=$; R_{35} and R_{36} each
independently represent a hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic
group, an acyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, a carbamoyl group,
an alkyl or arylsulfonyl group, or a sulfamoyl group, and each group may be substituted; G_3 , R_{31}
and R_{32} each independently represent a hydrogen atom, a halogen atom, an aliphatic group, an
aromatic group, a heterocyclic group, a cyano group, a carboxyl group, a carbamoyl group, an
alkoxycarbonyl group, an aryloxycarbonyl group, a heterocyclic-oxycarbonyl group, an acyl
group, a hydroxyl group, an alkoxy group, an aryloxy group, a
heterocyclic-oxy group, a silyloxy group, an acyloxy group, a carbamoyloxy group, an
alkoxycarbonyloxy group, an aryloxycarbonyloxy group, an amino group, an acylamino group,
an ureido group, a sulfamoylamino group, an alkoxycarbonylamino group, an
aryloxycarbonylamino group, an alkyl or arylsulfonylamino group, a heterocyclic

sulfonylamino group, a nitro group, an alkyl or arylthio group, an alkyl or arylsulfonyl group, a heterocyclic sulfonyl group, an alkyl or arylsulfinyl group, a heterocyclic sulfinyl group, a sulfamoyl group, a sulfo group, or a heterocyclic-thio group, and each group may be substituted; R₃₁ and R₃₅, or R₃₅ and R₃₆ may bond to each other to form a 5- or 6-membered ring;



wherein A₄₁, A₄₂ and A₄₃ each independently represent an optionally-substituted aromatic or heterocyclic group; A₄₁ and A₄₃ are monovalent group, and A₄₂ is a divalent group.


9. (canceled).

10. (canceled).

11. (currently amended): An inkjet recording method with an ink set ~~of any of claims 8 to 10~~ as claimed in claim 8, comprising a step of forming an image with the first ink and a step of applying the second ink onto the image.

12. (new): The ink set for inkjet as claimed in claim 8, wherein at least two of A₄₁, A₄₂ and A₄₃ in formula (4) are heterocyclic groups.

13. (new): The ink set for inkjet as claimed in claim 8, wherein the dye of formula (2) is represented by formula (5):



wherein X_{51} , X_{52} , X_{53} and X_{54} each independently represent $-\text{SO}-Z_2$, $-\text{SO}_2-Z_2$, $-\text{SO}_2\text{NR}_{21}\text{R}_{22}$, a sulfo group, $-\text{CONR}_{21}\text{R}_{22}$, or $-\text{CO}_2\text{R}_{21}$; Z_2 independently represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represents a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

Y_{51} to Y_{58} each independently represents a hydrogen atom, a halogen atom, an alkyl group, an aryl group, a cyano group, an alkoxy group, an amido group, a ureido group, a sulfonamido

group, a carbamoyl group, a sulfamoyl group, an alkoxycarbonyl group, a carboxyl group or a sulfo group;

M_1 represents a hydrogen atom, a metal atom or its oxide, hydroxide or halide; and

a_{51} to a_{54} each independently represents an integer of 1 or 2.